



Langfang Olan Glass Beads Co., Ltd

www.cnglassbead.com
sales@cnglassbead.com

GLASS BEADS

DROP-ON / PREMIX /80

THECNICAL CHARACTERISTICS

Chemical Composition	: Top quality glass (soda – cal)
Refraction Index	: 1,5 minimun
Specific Weight	: 2,3 to 2,6 g/cc.
Sphericity	: 80 % minimun
Size distribution	: Grid US N.20 to 230 (850 to 63 microns)

Grid N°	Grid Hole Size	% of glass, beads that pass through the grid
20	850	100
30	600	80 – 100
40	425	-
50	300	20- 50
70	212	-
80	180	-
100	150	-
140	106	0 - 10
200	75	0 - 2
230	63	-